



ELLE Interconnecting Accessory Cables for Continuous Installations



Plug and Play external inter-connecting accessory cables are required to continue the power and Dali signal along continuous runs only between the Start , Continuous & End modules.
 Accessory cables to be ordered separately.
 3 different cable lengths are available, 1mt , 2mt & 3mt.



- EL-ACC-1323-000 1MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-101
- EL-ACC-1324-000 2MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-201
- EL-ACC-1325-000 3MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-301



ELLE Recessed Delta/Opa Continuous Interconnecting Cable Installation




PRELIMINARY

Inter - Connecting Cables	
Part Number	
EL-ACC-1323-000	1MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-101
EL-ACC-1324-000	2MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-201
EL-ACC-1325-000	3MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-301

Inter - Connecting Cables Usage Matrix	
Length/s	Inter - Connecting Cable Required
585 Single	Not Required
675 Single	Not Required
1170 Single	Not Required
1260 Single	Not Required
2335 Single	Not Required
2425 Single	Not Required
585 + 585	EL-ACC-1323-000
585 + 1170	EL-ACC-1324-000
1170 + 1170	EL-ACC-1324-000
1170 + 2335	EL-ACC-1325-000
2335 + 2335	EL-ACC-1325-000

Luminaire Length	L	W	H	CUT OUT
SINGLE 585	611	90.5	105	80 x 595
SINGLE ORT 675	701	90.5	105	80 x 685
SINGLE 1170	1196	90.5	105	80 x 1180
SINGLE ORT 1260	1286	90.5	105	80 x 1270
SINGLE 2335	2361	90.5	105	80 x 2345
SINGLE ORT 2425	2451	90.5	105	80 x 2435
START 585	598	90.5	105	
START ORT 675	688	90.5	105	
CONTINUOUS 585	585	90.5	105	
END 585	598	90.5	105	
END ORT 675	688	90.5	105	
START 1170	1183	90.5	105	
START ORT 1260	1273	90.5	105	
CONTINUOUS 1170	1170	90.5	105	
END 1170	1183	90.5	105	
END ORT 1260	1273	90.5	105	
START 2335	2348	90.5	105	
START ORT 2425	2438	90.5	105	
CONTINUOUS 2335	2335	90.5	105	
END 2335	2348	90.5	105	
END ORT 2425	2438	90.5	105	

ELLE Recessed Beta Opti Continuous Interconnecting Cable Installation



PRELIMINARY







Inter - Connecting Cables	
Part Number	
EL-ACC-1323-000	1MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-101
EL-ACC-1324-000	2MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-201
EL-ACC-1325-000	3MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-301

Inter - Connecting Cables Usage Matrix	
Length/s	Inter - Connecting Cable Required
1261 Single	Not Required
1351 Single	Not Required
2522 Single	Not Required
2612 Single	Not Required
1261 + 1261	EL-ACC-1324-000
1261 + 2522	EL-ACC-1325-000
2522 + 2522	EL-ACC-1325-000

Luminaire Length	L	W	H	CUT OUT
SINGLE 1261	1287	90.5	105	80 x 1270
SINGLE ORT 1351	1377	90.5	105	80 x 1360
SINGLE 2522	2548	90.5	105	80 x 2535
SINGLE ORT 2612	2638	90.5	105	80 x 2625
START 1261	1274	90.5	105	
START 1351	1364	90.5	105	
CONTINUOUS 1261	1261	90.5	105	
END 1261	1274	90.5	105	
END ORT 1351	1364	90.5	105	
START 2522	2535	90.5	105	
START 2612	2625	90.5	105	
CONTINUOUS 2522	2522	90.5	105	
END 2522	2535	90.5	105	
END ORT 2612	2625	90.5	105	

ELLE Recessed ORT Module Continuous Interconnecting Cable Installation

Ceiling Thickness
Range



Inter - Connecting Cables	
Part Number	
EL-ACC-1323-000	1MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-101
EL-ACC-1324-000	2MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-201
EL-ACC-1325-000	3MT INTERCONNECT CABLE SOCKET/PLUG 5 POLE 771-9985/007-301

Inter - Connecting Cables Usage Matrix				
Length Side A (Input)	Inter - Connecting Cable Required	Length Continuous ORT	Inter - Connecting Cable Required	Length Side B (Output)
585	EL-ACC-1323-000	200	EL-ACC-1323-000	585
1170	EL-ACC-1323-000	200	EL-ACC-1323-000	1170
2340	EL-ACC-1324-000	200	EL-ACC-1323-000	2340