







IES TM-30-18 Color Rendition Report

Source: ELA-10643-S

Manufacturer: ELA

Date: Friday September 10 00:28:33 2021

Model: EL-OMND-2102/-2104-xxx



Notes: OmniPOD Downlight Black Pod 940 12W/1450lm variants

x 0.388122
 y 0.385322
 u' 0.226720
 v' 0.506438

CIE 13.3-1995
 (CRI)
 Ra 90
 Rg 57

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10644-S

Manufacturer: ELA

Date: Friday September 10 00:28:33 2021

Model: EL-OMND-2103/-2105-xxx



Notes: OmniPOD Downlight Black Pod 940 22W/2700lm variants

x 0.387590
 y 0.384329
 u' 0.226768
 v' 0.505935

CIE 13.3-1995
 (CRI)
 R_a 90
 R_g 56

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10654-S

Manufacturer: ELA

Date: Friday September 10 00:37:55 2021

Model: EL-OMND-2106-xxx



Notes: OmniPOD Downlight White Pod TW DUO1 11W/1000lm variants

x 0.377626
 y 0.370616
 u' 0.225713
 v' 0.498427

CIE 13.3-1995
 (CRI)
 R_a 94
 R_g 69

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10655-S

Manufacturer: ELA

Date: Friday September 10 00:40:40 2021

Model: EL-OMND-2107/-2108-xxx



Notes: OmniPOD Downlight Black Pod TW DUO1 15W/1550lm variants

x 0.375239
y 0.368037
u' 0.225167
v' 0.496902

CIE 13.3-1995
(CRI)
R_a 94
R_g 69

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10647-S

Manufacturer: ELA

Date: Friday September 10 00:34:59 2021

Model: EL-OMND-2116-xxx



Notes: OmniPOD Downlight Black Pod 930 23W/2800lm variants

x 0.436084
 y 0.405774
 u' 0.249293
 v' 0.521924

CIE 13.3-1995
 (CRI)
 Ra 91
 Rg 51

Colors are for visual orientation purposes only.