







IES TM-30-18 Color Rendition Report

Source: ELA-10641-S

Manufacturer: ELA

Date: Friday September 10 00:23:58 2021

Model: EL-OMND-2100-xxx



Notes: OmniPOD Downlight White Pod 940 8W/1000lm variants

x 0.389856
 y 0.387712
 u' 0.226897
 v' 0.507710

CIE 13.3-1995
 (CRI)
 R_a 90
 R_g 58

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10642-S

Manufacturer: ELA

Date: Friday September 10 00:26:55 2021

Model: EL-OMND-2101-xxx



Notes: OmniPOD Downlight White Pod 940 15W/2000lm variants

x 0.389275
y 0.386771
u' 0.226893
v' 0.507226

CIE 13.3-1995
(CRI)
 R_a 90
 R_g 56

Colors are for visual orientation purposes only.







IES TM-30-18 Color Rendition Report

Source: ELA-10646-S

Manufacturer: ELA

Date: Friday September 10 00:33:46 2021

Model: EL-OMND-2115-xxx



Notes: OmniPOD Downlight White Pod 930 15W/2050lm variants

x 0.437297
 y 0.406598
 u' 0.249721
 v' 0.522427

CIE 13.3-1995
 (CRI)
 R_a 91
 R_g 52

Colors are for visual orientation purposes only.