







# ANSI/IES TM-30-18 Color Rendition Report

Source: ELA-10355-S.CSV

Manufacturer: ELA

Date: 5.2.2019

Model: EL-VER-2105



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.







x 0.3796  
y 0.3817  
u' 0.2226  
v' 0.5036

|                |    |
|----------------|----|
| CIE 13.3-1995  |    |
| (CRI)          |    |
| R <sub>a</sub> | 92 |
| R <sub>g</sub> | 68 |

# ANSI/IES TM-30-18 Color Rendition Report

Source: ELA-10360-S.CSV  
 Date: 5.2.2019

Manufacturer: ELA  
 Model: EL-VER-2110



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.







$x$  0.3798  
 $y$  0.3823  
 $u'$  0.2225  
 $v'$  0.5039

|               |    |
|---------------|----|
| CIE 13.3-1995 |    |
| (CRI)         |    |
| $R_a$         | 92 |
| $R_g$         | 68 |

# ANSI/IES TM-30-18 Color Rendition Report

Source: ELA-10363-S.CSV  
 Date: 5.2.2019

Manufacturer: ELA  
 Model: EL-VER-2113



Notes: This is a recommended method for displaying ANSI/IES TM-30-18 information.

x 0.3796  
 y 0.3815  
 u' 0.2227  
 v' 0.5035

|                |    |
|----------------|----|
| CIE 13.3-1995  |    |
| (CRI)          |    |
| R <sub>a</sub> | 92 |
| R <sub>g</sub> | 69 |