

# NOTOR

*Continuous light in all applications*



eaglelightingaustralia





## NOTOR

### Continuous light in all applications

From long unbroken lines of light to solitaires the Notor range offers several different designs to suit any project - whether you require purely decorative accent lighting or technically perfect office lighting.

Ingenious wiring accessories for continuous installations and geometric shapes, coupled with quick installation, high efficiency, visual comfort and lack of light leaks helps to ensure that this classic luminaire remains an international favourite.

Given all the possibilities its different variants and designs offer, Notor can be summed up in three simple words: creativity - flexibility - economy.

With Notor only your imagination is the limit.



*Notor 78 Connection*


## BETA-OPTI TECHNOLOGY

With Notor we have prioritised a high proportion of ambient light, providing indirect and vertical light towards the ceiling and walls. The ambient light creates harmonious yet effective lighting as well as a feel-good working environment.

To help achieve this Fagerhult have utilised their Beta Opti louvre technology, which provides optimised energy efficiency with fantastic lighting comfort.

The solution is based on a classic “batwing” shaped wide beamed light distribution that spreads the light out to the sides. The advantages are simpler light planning and better uniformity where the light fills out between the luminaire rows without creating a luminance that is too high directly underneath the luminaire.

The innovative design of the louvre’s cross blades prevents the light from being cast back into the luminaire thus providing complete control of the luminous flux. Instead the cross blades guide the light downward, maintaining light efficiency. All the light is put to use without producing glare.



### OPTIMAL COMFORT

Beta Opti technology meets peoples’ need for a glare-free and contrast-rich light providing pleasant and productive work environments. By distributing the luminance from the LED modules, Fagerhult have created world-class light comfort.






### **NOTOR 65**

Offers minimal dimensions, different louvres and light distributions with installation on walls, ceilings or suspended (soon to be available with e-Sense Organic)



### **NOTOR 78**

A flexible luminaire with different light distributions, separate control of direct / indirect light, and the possibility of both Tunable White and e-Sense Organic.



### **NOTOR RECESSED**

Offers different louvres for various tasks in all types of suspended ceilings



## NOTOR 65

As the name implies, the cross-section is 65x65 mm and with this we can achieve so much more.

Choose between different light distributions with direct, direct/indirect (45/55), or even just indirect light. The luminaire is available with Beta Opti, Delta or Opal louvres.

Like other members of the Notor family, Notor 65 can be constructed as long continuous installations. For continuous installation we have developed a solution for the joints between the louvres so the light opening is not disturbed by an interruption or light leakage.

Available in various module lengths depending on model. Available in natural anodised aluminium white or black (Notor 65 Opal only)



*Delta*



*Opal Surface Mounted*



*Indirect*



*Opal Wall*



*Beta-Opti*



*Control Track Unit*







## NOTOR 78

Notor 78 has a cross-section of 78x78 mm and is more of a workplace luminaire with direct or direct/indirect light distribution in combinations of 70/30, 50/50 or 30/70. The direct light is equipped with a Delta louvre and the indirect light with a technical film that increases the spread of light to avoid bright spots on the ceiling.

Notor 78 is available in several different luminous fluxes and is suitable for use with Tuneable White to control colour temperature – providing even better lighting and health at work.

The luminaire is available in lengths of 1200 or 2400 mm and, like other members of the Notor family, Notor 78 can be constructed as long continuous installations.

Notor 78 is available in white or natural anodised aluminium.







## NOTOR RECESSED

Notor Recessed makes it possible to create endless lines of light in the all types of suspended ceiling.

Notor Recessed is based on a very inconspicuous, aluminium armature housing that is completely recessed in the suspended ceiling with a clean and elegant installation.

Notor gives energy efficient and comfortable general lighting which corresponds to that of recessed luminaires of a significantly greater size.

The wide selection of louvres makes it possible to adapt the light pattern to the function of the room.

The luminaire is available in lengths of 600, 1200 or 2400 mm and, like other members of the Notor family, Notor Recessed can be constructed as long continuous installations.

Like its siblings it is also possible, with the help of an L-coupling, to form geometric solutions: practical and aesthetically pleasing.

Notor recessed is available in white or natural anodised aluminium.

*Delta*



*Beta Opti*



*Opal Dropped*



*Opal Flush*



# NOTOR OVERVIEW

	Notor 65 Beta Opti	Notor 65 Delta	Notor 65 Indirect
Louvre	Beta Opti	Delta	Opal
Distribution (D/I)	50/50,100/0	45/55,100/0	0/100
Mounting	Ceiling, Pendant, Wall	Ceiling, Pendant, Wall	Pendant, Wall
Installation	Single or continuous	Single or continuous, illuminated corners	Single or continuous
Lengths	1200, 2400	800, 1200, 2400	1200, 2400
Dimming	DALI/Phase pulse e-Sense Active Organic Response	DALI/Phase pulse e-Sense Active Organic Response	DALI/Phase pulse
CLO	L100 B50 50,000h	L100 B50 50,000h	L100 B50 50,000h
Tunable white option	No	No	No
Efficacy	Up to 133 lm/W	Up to 116 lm/W	Up to 126 lm/W
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Ra	CRI80+ as standard, CRI 90+ available on request		
Standard colour options	White, Anodised	White, Anodised	White, Anodised

N.B. Data is correct as of date. Please refer to Fagerhult website for the most up to date technical details

	Notor 65 Opal	Notor 65 Opal Wall	Notor 78
Louvre	Opal	Opal Wall	Delta
Distribution (D/I)	100/0	100/0	100/0, 30/70, 50/50, 70/30
Mounting	Ceiling, Pendant, Wall	Wall	Pendant, Wall
Installation	Single or continuous, illuminated corners	Single	Single or continuous
Lengths	800, 1200, 2400	600, 900	1200, 2400
Dimming	DALI/Phase pulse Organic Response	DALI/Phase pulse	DALI/Phase pulse e-Sense Active Organic Response
CLO	L100 B50 50,000h	L100 B50 50,000h	L100 B50 50,000h
Tunable white option	No	No	Yes
Efficacy	Up to 111 lm/W	Up to 110 lm/W	Up to 127 lm/W
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Ra	CRI80+ as standard, CRI 90+ available on request		
Standard colour options	White, Anodised, Black	White, Anodised	White, Anodised

N.B. Data is correct as of date. Please refer to Fagerhult website for the most up to date technical details

## NOTOR RECESSED OVERVIEW

	Notor Recessed LED Beta Opti	Notor Recessed LED Delta	Notor Recessed LED Opal Dropped/Flush
Louvre	Beta Opti	Delta	Opal
Distribution (D/I)	100/0	100/0	100/0
Mounting	Recessed ceiling	Recessed ceiling	Recessed ceiling
Installation	Single or continuous	Single or continuous, illuminated corners	Single or continuous, illuminated corners
Lengths	600, 1200, 2400	600, 1200, 2400	600, 1200, 2400
Dimming	DALI/Phase pulse	DALI/Phase pulse	DALI/Phase pulse
CLO	No	No	No
Tunable white option	No	No	No
Efficiency	Up to 128 lm/W	Up to 112 lm/W	Up to 132 lm/W
CCT	3000K/4000K	3000K/4000K	3000K/4000K
Ra	CRI80+ as standard, CRI 90+ available on request		
Standard colour options	White, Anodised	White, Anodised	White, Anodised





N.B. Data is correct as of date. Please refer to Fagerhult website for the most up to date technical details

## ACCESSORIES

To further increase the flexibility of the Notor installation a range of accessories are available:

- Suspension wire bracket in different colours.
- End caps with cut-out for surface cable when installed in the ceiling.
- Two different wall brackets.
- Spacers in various lengths (from 200-1200mm) making it possible to create the desired rhythm between light openings in relation to work places and furnishings (Notor 65 only).

## HYPERLINKS TO PRODUCT PAGES

Surface Mounted	
	<a href="#">Notor 65 Beta Opti</a>
	<a href="#">Notor 65 Delta</a>
	<a href="#">Notor 65 Opal</a>
	<a href="#">Notor 65 Control Track Unit</a>
Suspended System	
	<a href="#">Notor 65 Beta Opti</a>
	<a href="#">Notor 65 Delta</a>
	<a href="#">Notor 65 Opal</a>
	<a href="#">Notor 65 Indirect</a>
	<a href="#">Notor 65 Control Track Unit</a>
	<a href="#">Notor 78</a>
Wall Lighting	
	<a href="#">Notor 65 Opal Wall</a>
Recessed	
	<a href="#">Notor Recessed LED – Beta Opti</a>
	<a href="#">Notor Recessed LED – Delta</a>
	<a href="#">Notor Recessed LED – Opal Dropped</a>
	<a href="#">Notor Recessed LED – Opal Flush</a>





## **EAGLE LIGHTING AUSTRALIA**

[www.eaglelighting.com.au](http://www.eaglelighting.com.au)

[eagle@eaglelighting.com.au](mailto:eagle@eaglelighting.com.au)

### **MELBOURNE**

#### **EAGLE LIGHTING VIC**

17-19 Jets Court

Melbourne Airport, VIC 3045

Phone +61 3 9344 7444

Fax +61 3 9344 7433

### **SYDNEY**

#### **EAGLE LIGHTING NSW**

Unit 4, 21 Mars Road

Lane Cove, NSW 2066

Phone +61 2 9420 5799

Fax +61 2 9420 5988

### **BRISBANE**

#### **EAGLE LIGHTING QLD**

53 Caswell Street

East Brisbane, QLD 4169

Phone +61 7 3891 0744

Fax +61 7 3891 0755

### **CANBERRA**

#### **EAGLE LIGHTING ACT**

Mobile +61 411 889 406

## **DISTRIBUTORS**

### **TASMANIA**

#### **SOUTHERN LIGHTING & DISTRIBUTION**

34 Federal Street

North Hobart, TAS 7000

Phone +61 3 6231 5599

Fax +61 3 6231 5211

### **WESTERN AUSTRALIA**

#### **H.I. LIGHTING PTY LTD**

111 Broadway

Bassendean, WA 6054

Phone +61 8 9377 1322

Fax +61 8 9377 1761

### **SOUTH AUSTRALIA**

#### **H.I. LIGHTING PTY LTD**

8 Hender Avenue

Magill, SA 5072

Phone +61 8 8304 8500

### **NEW ZEALAND**

#### **FAGERHULT NEW ZEALAND**

[www.fagerhult.com/nz](http://www.fagerhult.com/nz)

0800 324 374

### **AUCKLAND**

#### **FAGERHULT NEW ZEALAND**

Mobile +64 21 655 392

Mobile +64 21 655 609

### **WELLINGTON**

#### **FAGERHULT NEW ZEALAND**

Mobile +64 21 597 900

### **SOUTH ISLAND**

#### **FAGERHULT NEW ZEALAND**

Mobile +64 21 193 4430